







客户安装孔位


Custom installation hole position of
AA-XX-24-150-300-XX-010

Unless otherwise specified		Material:		Dimension unit:	
NA		Comment / Deviations:		Metric (mm)	
DIMENSIONS ARE MM		Designed by:		Release date:	
Surface finish: 3.2/125		Checked by:		Project:	
X ±5.0		Zhang jn		BIN FONG	
.X ±3.0		Approved by:		Customer:	
.XX ±1.5		Title:		NA	
.XXX ±0.1		Angular: Machining ±0.5°		Liquid Cooling TEA drawing	
Bending ±2°		Shenzhen TECOOL Technology Co., Ltd		Part number:	
				AA-XX-24-150-300-XX-010	
				Rev:	
				00	
				Scale:	
				1:1	
				Size:	
				A3	
				Sheet:	
				2/3	




3D drawing of AA-XX-24-150-300-XX-010

Unless otherwise specified				Material:				Dimension unit: Metric [mm]	
NA				Comment / Deviations:					
DIMENSIONS ARE MM				NA					
Surface finish: 3.2/ $\sqrt{\mu\text{m}}$				Designed by:		Checked by:		Approved by:	
X ± 5.0				LI WEI-MING		Zhong jian		BIN FONG	
.X ± 3.0									
.XX ± 1.5									
.XXX ± 0.1									
Angular: Machining $\pm 0.5^\circ$									
Bending $\pm 2^\circ$									
				深圳市一冷科技有限公司					
				Shenzhen TECooler Technology co.,ltd					
				Title:		Release date:		Customer:	
				Liquid Cooling TEA drawing		2018-11-28		NA	
				Part number:		NA			
				AA-XX-24-150-300-XX-010		Rev.		00	
						Scale:		Size, sheet	
						1:1		A3 3/ 3	



总体尺寸/与电气安装图



客户孔位安装图

安装方法：开一个略比152X250mm稍大的槽,把冷端放进去，再配合固定安装孔来安装固定。

官网: www.teccooler.com
可下载完整图纸